Speech Communication 7 (1988) 435–436
North-Holland

AUTHOR INDEX

Volume 7 (1988)

Almeida, L.B., see **I.M. Trancoso** (2) 239–245
Archambault, D., see **D. O'Shaughnessy** (1) 55– 65
Attkins, P.M., see **R.B. Hanes** (2) 179–192
Barbeau, L.,, see **D. O'Shaughnessy** (1) 55– 65
Benedi, J.M., see **E. Vidal** (1) 67– 79
Bergem, D.R. van, L.C.W. Pols and **F.J. Koopmans-van Beinum**, Perceptual normalization of the vowels of a man and a child in various contexts (1) 1– 20
Berger-Vachon, C. and **A. Morgon,** An evaluation of auditory performances with cochlear implants (1) 87– 95
Bernardi, D., see **D. O'Shaughnessy** (1) 55– 65
Cardin, R., see **R. De Mori** (4) 337–353
Carossino, A., see **C. Scagliola** (4) 389–396
Carré, R., see **M. Mrayati** (3) 257–286
Casacuberta, F., see **E. Vidal** (1) 67– 79
Coleman, A.E., N. Gleiss and **P. Usai,** A subjective testing methodology for evaluating medium rate codecs for digital mobile radio applications (2) 151–166
Colla, A.M., see **C. Scagliola** (4) 389–396
De Mori, R., R. Cardin, E. Merlo, M. Palakal and **J. Rouat,** A Network of actions for automatic speech recognition (4) 337–353
Elie, Ph., see **C. Galand** (2) 167–178
Favareto, C., see **C. Scagliola** (4) 389–396
Fissore, L., G. Micca and **R. Pieraccini**, Strategies for continuous speech recognition (4) 375–379
Galand, C., M. Rosso, Ph. Elie and **E. Lancon,** MPE/LTP speech coder for mobile radio application (2) 167–178
Gleiss, N., see **A.E. Coleman** (2) 151–166
Gray, R.M., see **S.-S. Huang** (1) 41– 53
Guerin, B., see **M. Mrayati** (3) 257–286
Hanes, R.B. and **P.M. Attkins**, The UK candidate 16kbit/s speech codec for the GSM Pan-European study on digital cellular land mobile radio (2) 197–192
Harmegnies, B. and **A. Landercy,** Intra-speaker variability of the long term speech spectrum (Short Communication) (1) 81–86
Heute, U., Medium-rate speech coding trial of a review (2) 125–149
Hofmann, R., see **P. Vary** (2) 209–215
Höge, H., A stochastic model for beam search (4) 423–430
Huang, S.-S. and **R.M. Gray,** Spellmode recognition based on vector quantization (1) 41– 53
Kellwig, K., see **P. Vary** (2) 209–215
Ketchum, R.H., see **W.B. Kleijn** (3) 305–316
Kleijn, W.B., D.J. Krasinski and **R.H. Ketchum,** An efficient stochastically excited linear predictive coding algorithm for high quality low bit rate transmission of speech (3) 305–316
Koopmans-van Beinum, F.J., see **D.R. van Bergem** (1) 1– 20
Krasinski, D.J., see **W.B. Kleijn** (3) 305–316
Kuhn, T., see **S. Kunzmann** (4) 381–388
Kunzmann, S., T. Kuhn and **H. Niemann,** An experimental environment for the generation and verification of word hypotheses in continuous speech (4) 381–388
Laine, U.K., Higher pole correction in vocal tract models and terminal analogs (1) 21– 40
Lancon, E., see **C. Galand** (2) 167–178
Landercy, A., see **B. Harmegnies** (1) 81– 86
Lazzari, V., R. Montagna and **D. Sereno,** Comparison of two speech codecs for DMR systems (2) 193–207
Le Guyader, A., D. Massaloux and **F. Zurcher**, A robust and fast CELP Coder at 16 kbit/s (2) 217–226
Lee, K.F., On large-vocabulary speaker-independent lexical access to very large vocabularies (4) 355–366
Lloret, M.J., see **E. Vidal** (1) 67– 79
Lloret, M.J., see **E. Vidal** (4) 417–422
Marchal, A., Coproduction: Evidence from EPG data (3) 287–295
Marques, J.S., see **I.M. Trancoso** (2) 239–245
Massaloux, D., see **A. Le Guyader** (2) 217–226
Merlo, E., see **R. De Mori** (4) 337–353
Micca, G., see **L. Fissore** (4) 355–366
Montagna, R., see **V. Lazzari** (2) 193–207
Moore, R.K., see **S.M. Peeling** (4) 403–409
Morgon, A., see **C. Berger-Vachon** (1) 87– 95
Mrayati, M., R. Carré and **B. Guerin,** Distinctive regions and modes: A new theory of speech production (3) 257–286
Natvig, J.E., Pan-European speech coding standard for digital mobile radio (2) 113–123
Ney, H. and **A. Paeseler,** Phoneme-based continuous speech recognition results for different language models in the 1000-word SPICOS system (4) 367–374
Niemann, H., E.G. Schukat-Talamazzini, Editorial/Biographies (4) 333–335
Niemann, H., see **S. Kunzmann** (4) 381–388
O'Shaughnessy, D., L. Barbeau, D. Bernardi and **D. Archambault,** Diphone speech synthesis (1) 55– 65
Paeseler, A., see **H. Ney** (4) 367–374

0167-6393/87/$3.50 © 1987, Elsevier Science Publishers B.V. (North-Holland)

Palakal, M., see **R. De Mori** (4) 337–353
Pedrazzi, P., see **C. Scagliola** (4) 389–396
Peeling, S.M. and **R.K. Moore**, Isolated digit recognition experiments using the multi-layer perceptron (4) 403–409
Pieraccini, R., see **L. Fissore** (4) 355–366
Pols, L.C.W., see **D.R. van Bergem** (1) 1– 20
Rodrigues, J.S., see **I.M. Trancoso** (2) 239–245
Rosso, M., see **C. Galand** (2) 167–178
Rouat, J., see **R. De Mori** (4) 337–353
Rulot, H., see **E. Vidal** (1) 67– 79
Scagliola, C., A. Carossino, A.M. Colla, C. Favareto, P. Pedrazzi, D. Sciarra and **C. Vicenzi**, Real-time large vocabulary word recognition via diphone spotting and multiprocessor implementation (4) 389–396
Schröder, G., Residual-excited LPC with vector quantization (RELP-VQ) (2) 227–237
Schukat-Talamazzini, E.G., Robust features for word recognition (4) 397–401
Schukat-Talamazzini, E.G., see **H. Niemann** (4) 333–335
Sciarra, D., see **C. Scagliola** (4) 389–396
Sereno, D., see **V. Lazzari** (2) 193–207
Sluyter, R.J., see **P. Vary** (2) 209–215
Trancoso, I.M., L.B. Almeida, J.S. Rodrigues, J.S. Marques and **J.M. Tribolet**, Harmonic coding – state of the art and future trends (2) 239–245
Tribolet, J.M., see **I.M. Trancoso** (2) 239–245
Usai, P., see **A.E. Coleman** (2) 151–166
Vary, P., R. Hofmann, K. Kellwig and **R.J. Sluyter**, A regular-pulse excited linear predictive (2) 209–215
Vicenzi, C., see **C. Scagliola** (4) 389–396
Vidal, E. and **M.J. Lloret**, Fast speaker-independent DTW recognition of isolated words using a metric-space algorithm (AESA) (4) 417–422
Vidal, E., F. Casacuberta, J.M. Benedi, M.J. Lloret and **H. Rulot**, On the verification of triangle inequality by dynamic time-warping dissimilarity measures (1) 67– 79
Weigel, W., Recognition of demisyllables based on dynamic programming methods (3) 297–304
Xu, Y., see **S. Yang** (3) 317–325
Yalabik, N. and **F. Yarman-Vural**, Modified condensed nearest neighbor rule as applied to speaker independent word recognition (4) 411–415
Yang, S. and **Y. Xu**, An acoustic-phonetic oriented system for synthesizing Chinese (3) 317–325
Yarman-Vural, F., see **N. Yalabik** (4) 411–415
Zurcher, F., see **A. Le Guyader** (2) 217–226